# Author Index


Adamowicz, L., see Saint-Martin, H. (1080) 205
Ajandouz, E.H., see Desseaux, V. (1080) 237
Amiconi, G., see Congiu Castellano, A. (1080) 119
Anderson, R.A., see Jenkins, G.H. (1080) 11
Andreotti, G., see Birolo, L. (1080) 198
Arnone, M.I., see Birolo, L. (1080) 198
Asada, H., Shibata, K., Uchida, K., Yamauchi, A., Kono, M., Takeyama, Y., Ohyanagi, H. and Saitoh, Y.
Presence of human immunoglobulin G anti serum pancreatic elastase 1 autoantibodies and their influence on elastase 1 radioimmunoassay (1080) 34
Ascenzi, P., see Congiu Castellano, A. (1080) 119
Astl, G. and Mayer, E.
Alkali cation effect on carbonyl-hemoglobin's and -myoglobin's conformer populations when exposed to freeze-concentration of their phosphate-buffered aqueous solutions (1080) 155
Aul, D.J., see Vlock, D.R. (1080) 1

Baker, P.J., see Lilley, K.S. (1080) 191
Barteri, M., see Congiu Castellano, A. (1080) 119
Behere, D.V., see Modi, S. (1080) 45
Bell, E., see Lilley, K.S. (1080) 191
Bell, J.E., see Lilley, K.S. (1080) 191
Bertocci, B., Garotta, G., Da Prada, M., Lahm, H.-W., Zürcher, G., Virgallita, G. and Miggiano, V.
Immunoaffinity purification and partial amino acid sequence analysis of catechol-*O*-methyltransferase from pig liver (1080) 103
Bianconi, A., see Congiu Castellano, A. (1080) 119
Birolo, L., Arnone, M.I., Cubellis, M.V., Andreotti, G., Nitti, G., Marino, G. and Sannia, G.
The active site of *Sulfolobus solfataricus* aspartate aminotransferase (1080) 198
Bonkovsky, H.L., see Cable, E.E. (1080) 245
Bracete, A.M., Sono, M. and Dawson, J.H.
Effects of cyanogen bromide modification of the distal histidine on the spectroscopic and ligand binding properties of myoglobin: magnetic circular dichroism spectroscopy as a probe of distal water ligation in ferric high-spin histidine-bound heme proteins (1080) 264
Bragg, P.D., see Tong, R.C.W. (1080) 19
Brändén, R., see Janson, K. (1080) 40
Britton, K.L., see Lilley, K.S. (1080) 191
Brown, P.E., see Lilley, K.S. (1080) 191
Brown, W.E., see Vlock, D.R. (1080) 1
Burattini, E., see Congiu Castellano, A. (1080) 119

Cable, E.E., Healey, J.F., Greene, Y., Evans, C.-O. and Bonkovsky, H.L.
Synergistic induction of $\delta$-aminolevulinate synthase by gluteth-imide and iron: relationship to the synergistic induction of heme oxygenase (1080) 245
Calza, R.E., see Li, X. (1080) 148
Christophe, J., see Winand, J. (1080) 181
Chuang, J.-L., see Tsai, I.-H. (1080) 59
Clarke, R.B., see Duggleby, R.G. (1080) 231
Coletta, M., see Congiu Castellano, A. (1080) 119
Congiu Castellano, A., Della Longa, S., Bianconi, A., Barteri, M., Burattini, E., Ascenzi, P., Coletta, M., Santucci, R. and Amiconi, G.
Influence of allosteric effectors on the heme conformation of dromedary ferrous nitrosylhemoglobin detected by XANES spectroscopy (1080) 119
Cubellis, M.V., see Birolo, L. (1080) 198

Da Prada, M., see Bertocci, B. (1080) 103
D'Arcangelo, U., see Grazia Tozzi, M. (1080) 160
Dawson, J.H., see Bracete, A.M. (1080) 264
Del Corso, A., see Grazia Tozzi, M. (1080) 160
Della Longa, S., see Congiu Castellano, A. (1080) 119
Delporte, C., see Winand, J. (1080) 181
Desseaux, V., Payan, F., Ajandouz, E.H., Svensson, B., Haser, R. and Marchis-Mouren, G.
Effect of limited proteolysis in the 8th loop of the barrel and of antibodies on porcine pancreas amylase activity (1080) 237
Dobrowolska, G., Muszyńska, G. and Shugar, D.
Benzimidazole nucleoside analogues as inhibitors of plant (Maize seedling) casein kinases (1080) 221
Doi, M., see Ueda, H. (1080) 126
Duggleby, R.G. and Clarke, R.B.
Experimental designs for estimating the parameters of the Michaelis-Menten equation from progress curves of enzyme-catalyzed reactions (1080) 231

Ellfolk, N., Rönnberg, M. and Österlund, K.
Structural and functional features of *Pseudomonas* cytochrome *c* peroxidase (1080) 68
Engel, P.C., see Lilley, K.S. (1080) 191
Evans, C.-O., see Cable, E.E. (1080) 245

Fabiani, R., see Minelli, A. (1080) 252
Fujimori-Arai, Y., see Koyama, I. (1080) 165

García-Moreno, M., Havsteen, B.H., Varón, R. and Rix-Matzen, H.
Evaluation of the kinetic parameters of the activation of trypsinogen by trypsin (1080) 143
Garotta, G., see Bertocci, B. (1080) 103
Gasset, M., Oñaderra, M., Goormaghtigh, E. and Gavilanes, J.G.
Acid phospholipid vesicles produce conformational changes on the antitumour protein $\alpha$-sarcin (1080) 51
Gavilanes, J.G., see Gasset, M. (1080) 51
Gerke, V., see Newman, P. (1080) 227
Glavas, N.A., see Tong, R.C.W. (1080) 19
Goormaghtigh, E., see Gasset, M. (1080) 51
Goto, S., see Kato, K. (1080) 173
Grazia Tozzi, M., D'Arcangelo, U., Del Corso, A. and Ordal, G.W.
Identification and purification of a calcium-binding protein from *Bacillus subtilis* (1080) 160
Greene, Y., see Cable, E.E. (1080) 245

Haeggström, J.Z., see Wetterholm, A. (1080) 96
Hall, L., see Jones, R. (1080) 78
Hammarström, A., Soliman, A. and Nordlund, S.
Low- and high-activity forms of glutamine synthetase from *Rhodospirillum rubrum*: sensitivity to feed-back effectors and activation of the low-activity form (1080) 259

Haser, R., see Desseaux, V. (1080) 237
Havsteen, B.H., see García-Moreno, M. (1080) 143
Hayashi, N., see Ueda, H. (1080) 126
Healey, J.F., see Cable, E.E. (1080) 245
Hecht, H.-J., see Kalisz, H.M. (1080) 138
Hirota, N., see Koyama, I. (1080) 165
Hishinuma, F., see Tokunaga, M. (1080) 135

In, Y., see Ueda, H. (1080) 126
Inaguma, Y., see Kato, K. (1080) 173
Inoue, M., see Ueda, H. (1080) 126
Ishida, T., see Ueda, H. (1080) 126

Janson, K. and Brändén, R.
A spectrometric study of the $Co^{2+}$-activated ribulose-1,5-bisphosphate carboxylase reaction during turnover and at different pH (1080) 40
Jenkins, G.H., Subrahmanyam, G. and Anderson, R.A.
Purification and reconstitution of phosphatidylinositol 4-kinase from human erythrocytes (1080) 11
Jones, R. and Hall, L.
A 23 kDa protein from rat sperm plasma membranes shows sequence similarity and phospholipid binding properties to a bovine brain cytosolic protein (1080) 78

Kalisz, H.M., Hecht, H.-J., Schomburg, D. and Schmid, R.D.
Effects of carbohydrate depletion on the structure, stability and activity of glucose oxidase from *Aspergillus niger* (1080) 138
Kappes, E., see Legler, G. (1080) 89
Kastenholz, F., see Legler, G. (1080) 89
Kato, K., Shinohara, H., Kurobe, N., Goto, S., Inaguma, Y. and Ohshima, K.
Immunoreactive αA crystallin in rat non-lenticular tissues detected with a sensitive immunoassay method (1080) 173
Kawamura, A., see Tokunaga, M. (1080) 135
Komoda, T., see Koyama, I. (1080) 165
Kono, M., see Asada, H. (1080) 34
Koyama, I., Fujimori-Arai, Y., Hirota, N., Sakai, T., Sakagishi, Y. and Komoda, T.
Liver-like alkaline phosphatase in the tissue-unspecific type enzyme found in rabbit organs (1080) 165
Kube, E., see Newman, P. (1080) 227
Kurobe, N., see Kato, K. (1080) 173

Lahm, H.-W., see Bertocci, B. (1080) 103
Legler, G., Lüllau, E., Kappes, E. and Kastenholz, F.
Bovine *N*-acetyl-β-D-glucosaminidase: affinity purification and characterization of its active site with nitrogen containing analogs of *N*-acetylglucosamine (1080) 89
Leś, A., see Saint-Martin, H. (1080) 205
Li, X. and Calza, R.E.
Kinetic study of a cellobiase purified from *Neocallimastix frontalis* EB188 (1080) 148
Lilley, K.S., Baker, P.J., Britton, K.L., Stillman, T.J., Brown, P.E., Moir, A.J.G., Engel, P.C., Rice, D.W., Bell, J.E. and Bell, E.
The partial amino acid sequence of the $NAD^+$-dependent glutamate dehydrogenase of *Clostridium symbiosum*: implications for the evolution and structural basis of coenzyme specificity (1080) 191
Lin, Y.-Z., see Wei, J. (1080) 29
Lu, P.-J., see Tsai, I.-H. (1080) 59
Lüllau, E., see Legler, G. (1080) 89

Marchis-Mouren, G., see Desseaux, V. (1080) 237
Marino, G., see Birolo, L. (1080) 198
Mayer, E., see Astl, G. (1080) 155
McCoy, J.P., see Vlock, D.R. (1080) 1
Medina, J.F., see Wetterholm, A. (1080) 96
Mezzasoma, I., see Minelli, A. (1080) 252
Miggiano, V., see Bertocci, B. (1080) 103
Minelli, A., Moroni, M., Fabiani, R., Miscetti, P. and Mezzasoma, I.
Purification and partial characterization of the soluble low $K_m$ 5′-nucleotidase from human seminal plasma (1080) 252
Miscetti, P., see Minelli, A. (1080) 252
Mitra, S., see Modi, S. (1080) 45
Mitsunaga, J.-i., see Ueda, H. (1080) 126
Modi, S., Behere, D.V. and Mitra, S.
Horseradish peroxidase catalyzed oxidation of thiocyanate by hydrogen peroxide: comparison with lactoperoxidase-catalysed oxidation and role of distal histidine (1080) 45
Moir, A.J.G., see Lilley, K.S. (1080) 191
Moroder, L., see Winand, J. (1080) 181
Moroni, M., see Minelli, A. (1080) 252
Murakami, K. and Piomelli, S.
Decay of mammalian hexokinase: characterization of the specific proteolytic activity (1080) 83
Muszyńska, G., see Dobrowolska, G. (1080) 221

Nestel, U., see Welte, W. (1080) 271
Newman, P., Kube, E., Gerke, V. and Weber, K.
Polyisoprenylation of the CAAX motif – an in vitro protein synthesis study (1080) 227
Nitti, G., see Birolo, L. (1080) 198
Nordlund, S., see Hammarström, A. (1080) 259

Ohshima, K., see Kato, K. (1080) 173
Ohyanagi, H., see Asada, H. (1080) 34
Omori, A., see Tokunaga, M. (1080) 135
Oñaderra, M., see Gasset, M. (1080) 51
Ordal, G.W., see Grazia Tozzi, M. (1080) 160
Ortega-Blake, I., see Saint-Martin, H. (1080) 205
Österlund, K., see Ellfolk, N. (1080) 68

Payan, F., see Desseaux, V. (1080) 237
Piomelli, S., see Murakami, K. (1080) 83
Poloczek, P., see Winand, J. (1080) 181

Rådmark, O., see Wetterholm, A. (1080) 96
Rice, D.W., see Lilley, K.S. (1080) 191
Rix-Matzen, H., see García-Moreno, M. (1080) 143
Rönnberg, M., see Ellfolk, N. (1080) 68

Saint-Martin, H., Ortega-Blake, I., Leś, A. and Adamowicz, L.
Ab initio calculations of the pyrophosphate hydrolysis reaction (1080) 205
Saitoh, Y., see Asada, H. (1080) 34
Sakagishi, Y., see Koyama, I. (1080) 165
Sakai, T., see Koyama, I. (1080) 165
Samuelsson, B., see Wetterholm, A. (1080) 96
Sannia, G., see Birolo, L. (1080) 198
Santucci, R., see Congiu Castellano, A. (1080) 119
Schiltz, E., see Welte, W. (1080) 271
Schmid, R.D., see Kalisz, H.M. (1080) 138
Schomburg, D., see Kalisz, H.M. (1080) 138
Schulz, G.E., see Welte, W. (1080) 271
Sellinger, O.Z. and Wolfson, M.F.
Carboxylmethylation affects the proteolysis of myelin basic protein by *Staphylococcus aureus* $V_8$ proteinase (1080) 110
Shapiro, R., see Wetterholm, A. (1080) 96
Shibata, K., see Asada, H. (1080) 34
Shinohara, H., see Kato, K. (1080) 173
Shoku, Y., see Ueda, H. (1080) 126
Shugar, D., see Dobrowolska, G. (1080) 221
Soliman, A., see Hammarström, A. (1080) 259

Sono, M., see Bracete, A.M. (1080) 264
Stillman, T.J., see Lilley, K.S. (1080) 191
Subrahmanyam, G., see Jenkins, G.H. (1080) 11
Svensson, B., see Desseaux, V. (1080) 237
Svoboda, M., see Winand, J. (1080) 181

Takeyama, Y., see Asada, H. (1080) 34
Tokunaga, M., Kawamura, A., Omori, A. and Hishinuma, F.
Purification and determination of the $NH_2$-terminal amino acid sequence of mouse $\alpha$-amylase secreted from *Saccharomyces cerevisiae*: correct processing of the secretion signal from pGKL killer 28 kDa precursor protein (1080) 135
Tong, R.C.W., Glavas, N.A. and Bragg, P.D.
Topological analysis of the pyridine nucleotide transhydrogenase of *Escherichia coli* using proteolytic enzymes (1080) 19
Toporowicz, A., see Vlock, D.R. (1080) 1
Tsai, I.-H., Lu, P.-J. and Chuang, J.-L.
The midgut chymotrypsins of shrimps (*Penaeus monodon, Penaeus japonicus and Penaeus penicillatus*) (1080) 59
Tsou, C.-L., see Wei, J. (1080) 29

Uchida, K., see Asada, H. (1080) 34
Ueda, H., Shoku, Y., Hayashi, N., Mitsunaga, J.-i., In, Y., Doi, M., Inoue, M. and Ishida, T.
X-ray crystallographic conformational study of 5′-*O*-[*N*-(L-alanyl)-sulfamoyl]adenosine, a substrate analogue for alanyl-tRNA synthetase (1080) 126

Vallee, B.L., see Wetterholm, A. (1080) 96
Varón, R., see García-Moreno, M. (1080) 143
Virgallita, G., see Bertocci, B. (1080) 103
Vlock, D.R., Aul, D.J., Toporowicz, A., McCoy, J.P. and Brown, W.E.
Purification and partial characterization of a shed 66 kDa melanoma-associated antigen identified by autologous antibody (1080) 1

Weber, K., see Newman, P. (1080) 227
Weckesser, J., see Welte, W. (1080) 271
Wei, J., Lin, Y.-Z., Zhou, J.-M. and Tsou, C.-L.
FTIR studies of secondary structures of bovine insulin and its derivatives (1080) 29
Weiss, M.S., see Welte, W. (1080) 271
Welinder, K.G.
Bacterial catalase-peroxidases are gene duplicated members of the plant peroxidase superfamily (1080) 215
Welte, W., Weiss, M.S., Nestel, U., Weckesser, J., Schiltz, E. and Schulz, G.E.
Prediction of the general structure of OmpF and PhoE from the sequence and structure of porin from *Rhodobacter capsulatus*. Orientation of porin in the membrane (1080) 271
Wetterholm, A., Medina, J.F., Rådmark, O., Shapiro, R., Haeggström, J.Z., Vallee, B.L. and Samuelsson, B.
Recombinant mouse leukotriene $A_4$ hydrolase: a zinc metalloenzyme with dual enzymatic activities (1080) 96
Winand, J., Poloczek, P., Delporte, C., Moroder, L., Svoboda, M. and Christophe, J.
Functional cholecystokinin receptors are distinguished kinetically by biotinyl-Tyr-Gly-(Thr$^{28}$,Nle$^{31}$)CCK(25–33) in rat pancreatic acini (1080) 181
Wolfson, M.F., see Sellinger, O.Z. (1080) 110

Yamauchi, A., see Asada, H. (1080) 34

Zhou, J.-M., see Wei, J. (1080) 29
Zürcher, G., see Bertocci, B. (1080) 103